



Practitioner's Docket No.: 1235_005

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of: Ramon M. Velez, Jr., et al.

December 13, 2005

Serial No.: 10/801,870

Art Unit: 1744

Filed: March 16, 2004


Examiner: Chin, Randall E.

Confirmation No.: 4466

For: ROTARY PROBE FOR CLEANING AN INTERNAL CAVITY

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

I hereby certify that this paper is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 addressed to Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on December 13, 2005, under "EXPRESS MAIL" mailing label number EV678910095US


Christine M. Holmes

AMENDMENT AND RESPONSE

Sir:

In response to the Office Action mailed from the United States Patent and Trademark Office on September 16, 2005, please amend the above-identified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 3 of this paper.

Amendments to the Drawings begin on page 6 of this paper and include replacement sheets.

Remarks/Arguments begin on page 7 of this paper.

An **Appendix** including amended drawing figures is attached following page 9 of this paper.